



Dismiss™

TURF HERBICIDE

For Selective Weed Control in Turf Sites Including Residential and Institutional Lawns, Athletic Fields, Commercial Sod Farms, Golf Course Fairways and Roughs.

EPA Reg. No 279-3295

EPA Est. 279-

Active Ingredient:	By Wt.
Sulfentrazone*	39.6%
Other Ingredients:	60.4%
	100.0%

*N-[2,4-dichloro-5-[4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl]phenyl]methanesulfonamide.
Contains 4.0 pounds of active ingredient per gallon.
U.S. Patent No. 4,818,275

KEEP OUT OF REACH OF CHILDREN CAUTION

See other panels for additional precautionary information.



FMC Corporation
Agricultural Products Group
Philadelphia PA 19103

Net Contents: 1 Pint

3-24-06-C

FIRST AID

If inhaled	<ul style="list-style-type: none">• Move person to fresh air.• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.• Call a poison control center or doctor for further treatment advice.
If on skin or clothing	<ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15-20 minutes.• Call a poison control center or doctor for further treatment advice.
If in eyes	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15-20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.• Call a poison control center or doctor for treatment advice.
If swallowed	<ul style="list-style-type: none">• Call a poison control center or doctor immediately for treatment advice.• Do not give any liquid to the person.• Do not induce vomiting unless told to do so by the poison control center or doctor.• Do not give anything by mouth to an unconscious person.

HOTLINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-331-3148 for emergency medical treatment information.

For Information Regarding the Use of this Product Call 1-800-321-1FMC (1362).

PRECAUTIONARY STATEMENTS

Hazards to Humans (and Domestic Animals) CAUTION

Causes moderate eye irritation. Harmful if inhaled, swallowed, or absorbed through skin. Avoid breathing vapor or spray mist. Avoid contact with skin, eyes or clothing.

Personal Protective Equipment (PPE)

Applicators and other handlers must wear: long-sleeved shirt and long pants, waterproof gloves, and shoes plus socks.

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product. Do not reuse them. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations:

Users should:

- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

Environmental Hazards

This pesticide is toxic to marine/estuarine invertebrates. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Drift and runoff may be hazardous to terrestrial and aquatic plants in neighboring areas. Do not contaminate water when disposing of equipment washwaters or rinsate.

Groundwater advisory: This chemical is known to leach through soil into groundwater under certain conditions as a result of label use. Use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Do not use on coarse soils classified as sand which have less than 1% organic matter.

Surface water advisory: Sulfentrazone can contaminate surface water through spray drift. Under some conditions, sulfentrazone may also have a high potential for runoff into surface water (primarily via dissolution in runoff water), for several to many months post-application. These include poorly draining or wet soils with readily visible slopes toward adjacent surface waters, frequently flooded areas, areas overlying extremely shallow groundwater, areas with in-field canals or ditches that drain to surface water, areas not separated from adjacent surface waters with vegetated filter strips, and areas over-lying tile drainage systems that drain to surface waters.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not apply this product through any type of irrigation system.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your state or tribe, consult the agency responsible for pesticide regulation.

Agricultural Use Requirements

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. These requirements only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: Coveralls over long-sleeved shirt and long pants, chemical-resistant gloves made of any waterproof material, and shoes plus socks.

Non-Agricultural Use Requirements

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses.

Re-entry Statement: Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment area until spray has dried.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage

Store product in original container only, away from other pesticides, fertilizer, food or feed. Store in a cool, dry place and avoid excess heat.

In case of spill, avoid contact, isolate area and keep out animals and unprotected persons. Confine spills. Call FMC: (800) 331-3148.

To confine spill: If liquid, dike surrounding area or absorb with sand, cat litter or commercial clay. If dry material, cover to prevent dispersal. Place damaged package in a holding container. Identify contents.

Pesticide Disposal

If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional office for guidance.

Container Disposal

Triple rinse (or equivalent). Then offer for recycling or reconditioning; or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

GENERAL INFORMATION

Turf Use Instructions

Dismiss turf herbicide is a selective post emergence herbicide which controls broadleaf weeds and sedges in established turf areas including, but not limited to, residential and institutional lawns, athletic fields, commercial sod farms, golf course fairways and golf course roughs.

Dismiss turf herbicide is formulated as a flowable (suspension concentrate) containing 4 lbs of active ingredient per gallon. The mode of action of Dismiss turf herbicide involves uptake by both weed roots and shoots.

Mixing and Application Instructions

General handling instructions

This product may not be mixed or loaded within 50 feet of any wells (including abandoned wells and drainage wells), sink holes, perennial or intermittent streams and rivers, and natural or impounded lakes and reservoirs. This setback does not apply to properly capped or plugged abandoned wells and does not apply to impervious pad or properly diked mixing/loading areas.

Operations that involve mixing, loading, rinsing or washing of this product into or from pesticide handling or application equipment or containers within 50 feet of any well, are prohibited unless conducted on an impervious pad constructed to withstand the weight of the heaviest load that may be positioned on or moved across the pad. Such a pad shall be designed and maintained to contain any product spills or equipment leaks, container or equipment rinse or wash water, and rainwater that may fall on the pad. Surface water shall not be allowed to either flow over or from the pad, which means the pad must be self contained. The pad shall be sloped to facilitate material removal. An unroofed pad shall be of sufficient capacity to contain at a minimum 110% of the capacity of the largest pesticide container or application equipment on the pad. A pad that is covered by a roof of sufficient size to completely exclude precipitation from contact with the pad shall have a minimum containment capacity of 100% of the capacity of the largest pesticide container or application equipment on the pad. Containment capacities as described above shall be maintained at all times. The above specific minimum containment capacities do not apply to vehicles when delivering pesticide shipments to the mixing/loading site. States may have in effect additional requirements regarding wellhead setbacks and operational containment.

Product must be used in a manner which will prevent back siphoning in wells, spills or improper disposal of excess pesticide, spray mixtures or rinsates.

SPRAY TANK PREPARATION

It is important that spray equipment is clean and free of existing pesticide deposits before using this product. Follow the spray tank clean out procedures specified on the label of product previously applied before adding Dismiss turf herbicide to the tank.

Dismiss turf herbicide is a suspension concentrate intended for dilution with water. In certain applications, liquid fertilizer may replace water as diluent.

MIXING WITH WATER

For best results, fill spray tank with one fourth of the volume of clean water needed for the area to be treated. Start the agitation system and add Dismiss turf herbicide to the tank. Make sure Dismiss turf herbicide is thoroughly mixed before application or before adding another product to the spray tank.

MIXING WITH LIQUID FERTILIZERS

Utilize local recommendations for sources and rates of fertilizer and refer to mixing directions on the fertilizer labels (e.g. UAN or urea solutions). Determine the compatibility of this product with the desired fluid fertilizer by mixing small proportional quantities in advance (See the "TANK MIXTURES COMPATIBILITY" section below)

TANK MIXTURES COMPATIBILITY

Dismiss turf herbicide is believed to be compatible with most herbicides, fungicides, insecticides, growth regulators, liquid fertilizers and spray adjuvants commonly used in turf and ornamental plant management. However, when preparing a new tank mix conduct an appropriate compatibility test by mixing proportional amounts of all spray ingredients in a test vessel (jar) prior to tank mixing with other products. Shake the mixture vigorously and allow it to stand for five to ten minutes. Rapid precipitation of the ingredients and failure to re-suspend when shaken indicates that the mixture is incompatible and should not be applied. Provided the jar test indicates the mixture to be compatible, prepare the tank mixture as follows: Fill the tank one fourth full with water. With the agitator operating, add the recommended amounts of ingredients using the following order: dry granules first, and liquid suspensions (flowables) second. As the agitation continues and the tank is filled with water add EC products third followed by the addition of water soluble products.

Read and observe mixing instructions of all tank mix partners. Also read each product's label for Directions for Use, Precautionary Statements and Restrictions and Limitations. The most restrictive labeling applies in all tank mixtures. No label dosage rate should be exceeded. Tank mixture recommendations are for use only in states where the companion products and application site are registered. In addition, certain states or geographical regions may have established dosage rate limitations. Consult your state Pesticide Control Agency for additional information regarding the maximum use rates.

Use Dismiss turf herbicide spray mixture immediately after mixing. Do not store the mixture.

Ground Equipment

Power sprayers: Uniform and accurate spray coverage requires proper calibration and operation of spray equipment. The use of marker dyes or foams can improve application accuracy. Boom sprayers equipped with appropriate flat fan nozzles, tips and screens are ideal for broadcast applications. Power sprayers fitted with spray wand/gun may also be used for broadcast application after careful calibration by the applicator. Power sprayers fitted with spray wand/gun are suitable for spot treatments.

Hand operated sprayers: Backpack and compression sprayers are appropriate for small turfgrass areas and spot treatments. Wands fitted with a flat fan nozzle tip should be held stationary at the proper height during application. A side to side or swinging arm motion can result in uneven coverage.

Apply this product in a sufficient volume of carrier solution to provide a uniform spray distribution. Spray volumes of 20 – 175 gallons per acre (0.5 to 4.0 gal/1,000 sq ft) with spray pressures adjusted to 20 – 40 psi are appropriate. Apply the higher spray volumes for dense weed populations.

Sprayer Equipment Clean-Out

After spraying Dismiss turf herbicide and before using sprayer equipment for any other applications, the sprayer must be thoroughly cleaned using the following procedure:

1. Drain sprayer tank, hoses, and spray boom and thoroughly rinse the inside of the sprayer tank with clean water to remove sediment and residues. In addition, thoroughly flush sprayer hoses, boom, and nozzles with clean water.
2. Fill the tank 1/2 full with clean water, and add appropriate detergent or ammonia (follow manufacturer's directions for use). Fill the tank to capacity and operate the sprayer for 15 minutes to flush hoses, boom, and nozzles.
3. Drain the sprayer system. Rinse the tank with clean water and flush through the hoses, boom, and nozzles. Remove and clean spray tips and screens separately.
4. Properly dispose of all cleaning solution and rinsate in accordance with Federal, State and local regulations and guidelines.

Do not drain or flush equipment on or near desirable trees or plants. Do not contaminate any body of water including irrigation water that may be used on other plants.

Weed Control in Turfgrasses

Use Precautions for Turf Use

Turfgrass Safety

This product may be used on seeded, sodded or sprigged turfgrasses that are well established. First application of this product can be made following the second mowing providing the grass has developed into a uniform stand with a good root system. Turf injury could result from application of this product on turf that is not well established or has been weakened by stresses such as unfavorable weather conditions, disease, chemical or mechanical influences.

When applied as directed under the conditions described, the following established grasses are tolerant to Dismiss turf herbicide at the recommended use rates in a range from 0.125 to 0.375 lb a.i./acre (4 to 12 fl. oz./acre or 0.092 to 0.275 fl. oz./1,000 sq. ft).

Table 1. Tolerant grasses.

Grass Type	Maximum Use Rate Single Application	
	lb ai/A	fl oz product/ 1000 sq ft (acre)
Cool Season Grasses		
Bentgrass, creeping Fescue, fine* (<i>Festuca rubra</i>) Fescue, tall* (<i>Festuca arundinacea</i>) Ryegrass, perennial (<i>Lolium perenne</i>)	.125	0.092 (4)
Bluegrass, Kentucky (<i>Poa pratensis</i>)	.25	0.18 (8)
Warm Season Grasses		
Bahiagrass (<i>Paspalum notatum</i>) Buffalograss (<i>Buchloe dactyloides</i>) Carpetgrass (<i>Axonopus affinis</i>) Centipedegrass (<i>Eremochloa ophiuroides</i>) Kikuyugrass (<i>Pennisetum clandestinum</i>) Seashore Paspalum (<i>Paspalum vaginatum</i>) Zoysiagrass (<i>Zoysia japonica</i>)	.25	0.18 (8)
Bermudagrass (<i>Cynodon dactylon</i>) & hybrids	.375	0.275 (12)

* Use of this product on certain varieties of Chewings Fine Fescue or Tall Fescue cultivars may result in undesirable injury.

Not all varieties of grasses have been tested. Consult your local FMC Technical Representative for additional recommendations on variety types.

Application to reseeded, overseeded or sprigged areas:

Reseeding, overseeding or sprigging of treated areas within three (3) months after application of this product could inhibit the establishment of desirable grasses. Overseeding of bermudagrass with perennial ryegrass at four (4) to six (6) weeks after an application can be done if slight injury to perennial ryegrass can be tolerated.

Best results are obtained for reseeded or overseeding when mechanical or power seeding equipment (silt seeders) are used to give good seed to soil contact and proper soil cultivation, irrigation and fertilization practices are followed.

Sod Production:

It is recommended that sod be established for at least six (6) months before an application of Dismiss turf herbicide.

Do not apply this product within three (3) months of harvest.

Other Use Precautions:

Do not apply to golf course putting greens or tees.

Do not use on turfgrasses other than those listed on this label.

Do not apply with surfactants unless previous experience has demonstrated combinations with surfactant to be physically compatible and non-injurious to the grass type in question.

Do not graze or feed livestock forage cut from areas treated with Dismiss turf herbicide.

Do not apply directly to landscape ornamentals or ornamental beds.

POSTEMERGENCE CONTROL OF SEDGES INCLUDING NUTSEDGES

Dismiss turf herbicide will control or suppress sedges (Table 2) when applied at a rate of 4 to 12 fl oz/acre (0.092 to 0.275 fl. oz./1,000 sq. ft.). Apply the highest rate consistent with the rate needed for turf safety in Table 1. Rates lower than 12 fl oz/acre (0.275 fl. oz./1,000 sq. ft.) will generally control sedges for at least 60 days.

Good spray coverage is needed for optimum control of sedges. Use 0.25 percent v/v of a nonionic surfactant (1 quart per 100 gallons of spray solution) for broadcast applications. For high volume applications do not exceed 1 quart of surfactant per acre. Temporary discoloration of some turf species may result from use of surfactant.

Table 2. Sedge species controlled or suppressed by Dismiss turf herbicide

Common Name	SCIENTIFIC NAMES
Kyllinga, green	(<i>Kyllinga brevifolia</i>)
Kyllinga, false green	(<i>Kyllinga gracillima</i>)
Nutsedge, purple	(<i>Cyperus rotundus</i>)
Nutsedge, yellow	(<i>Cyperus esculentus</i>)
Sedge, cylindrical	(<i>Cyperus retrorsus</i>)
Sedge, globe	(<i>Cyperus globulosus</i>)
Sedge, Surinam	(<i>Cyperus surinamensis</i>)
Sedge, Texas	(<i>Cyperus polystachyos</i>)

POSTEMERGENCE CONTROL OF ANNUAL, BIENNIAL & PERENNIAL BROADLEAF WEEDS

Dismiss turf herbicide will control or suppress the weeds listed in Table 3 when applied alone shortly after weeds have emerged. Apply Dismiss turf herbicide at rates from 4 to 12 fl. oz./acre (0.092 to 0.275 fl. oz./1,000 sq. ft.). Do not exceed the application rate specified for the turf species in Table 1. To broaden the weed spectrum and increase effectiveness for certain weeds listed in Table 3, Dismiss turf herbicide may be tank mixed with other EPA registered postemergence herbicides. Read the label recommendations of the tank mix partner to determine grass species safety, use rate and application procedures. Follow all label restrictions, use directions and precautionary statements before using these tank mixtures. Read and follow the "TANK MIXTURES COMPATIBILITY" section of this label for instructions on how to determine the compatibility of tank mixtures.

When used as directed Dismiss turf herbicide will control or suppress the following weeds.

Table 3. Weeds controlled or suppressed by Dismiss turf herbicide

BROADLEAVES	SCIENTIFIC NAMES
Bittercress	(<i>Cardamine</i> spp.)
Black medic	(<i>Medicago lupulina</i>)
Buttercups	(<i>Ranunculus</i> spp.)
Carolina geranium	(<i>Geranium carolinianum</i>)
Carpetweed	(<i>Mollugo verticillata</i>)
Chickweed, common	(<i>Stellaria media</i>)
Chickweed, mouseear	(<i>Cerastium vulgatum</i>)
Cinquefoil	(<i>Potentilla</i> spp.)
Clover	(<i>Trifolium</i> spp.)
Cudweed	(<i>Gnaphalium</i> spp.)
Dandelion	(<i>Taraxacum officinale</i>)
Dock, Curly	(<i>Rumex crispus</i>)
Evening primrose	(<i>Oenothera biennis</i>)
Fiddleneck	(<i>Amsinckia</i> spp.)
Filaree	(<i>Erodium</i> spp.)
Goldenrod	(<i>Solidago</i> spp.)
Ground ivy	(<i>Glechoma hederacea</i>)
Henbit	(<i>Lamium amplexicaule</i>)
Knotweed, prostrate	(<i>Polygonum aviculare</i>)
Kochia	(<i>Kochia scoparia</i>)
Lambsquarters, common	(<i>Chenopodium album</i>)
Lawn burweed	(<i>Soliva pterosperma</i>)
Lespedeza, common	(<i>Lespedeza striata</i>)
Mallow, common	(<i>Malva neglecta</i>)
Parsley piert	(<i>Alchemilla arvensis</i>)
Pigweed, Redroot	(<i>Amaranthus retroflexus</i>)
Pigweed, Tumble	(<i>Amaranthus albus</i>)
Pineapple weed	(<i>Matricaria matricarioides</i>)
Plantain, buckhorn	(<i>Plantago lanceolata</i>)
Puncture weed	(<i>Tribulus terrestris</i>)
Purslane, common	(<i>Portulaca oleracea</i>)
Pusley, Florida	(<i>Richardia scabra</i>)
Redweed	(<i>Melochia corchorifolia</i>)
Rocket, London	(<i>Sisymbrium irio</i>)
Smartweed, Pennsylvania	(<i>Polygonum pennsylvanicum</i>)
Sorrel, Red	(<i>Rumex acetosella</i>)
Speedwell	(<i>Veronica</i> spp.)
Spurge, (annuals)	(<i>Euphorbia</i> spp.)
Spurge, prostrate	(<i>Euphorbia humistrata</i>)
Spurge, spotted	(<i>Euphorbia maculata</i>)
Star of Bethlehem	(<i>Ornithogalum umbellatum</i>)
Velvetleaf	(<i>Abutilon theophrasti</i>)
Violet, wild	(<i>Viola pratensis</i>)
Wild garlic	(<i>Allium vineale</i>)
Wild onion	(<i>Allium canadense</i>)
Woodsorrel, creeping	(<i>Oxalis corniculata</i>)
Woodsorrel, yellow	(<i>Oxalis stricta</i>)

Conditions of Sale and Limitation of Warranty and Liability:

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product should be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness, or other unintended consequences may result because of such factors as manner of use or application, weather or crop conditions beyond the control of FMC or Seller. All such risks shall be assumed by Buyer and User, and Buyer and User agree to hold FMC and Seller harmless for any claims relating to such factors.

Seller warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the Directions for Use when used in accordance with the directions under normal conditions of use. FMC MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE, NOR ANY OTHER EXPRESS OR IMPLIED WARRANTIES WITH RESPECT TO THE SELECTION, PURCHASE, OR USE OF THIS PRODUCT. Any warranties, express or implied, having been made are inapplicable if this product has been used contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to (or beyond the control of) seller or FMC, and buyer assumes the risk of any such use.

To the extent permitted by law, FMC or seller shall not be liable for any incidental, consequential or special damages resulting from the use or handling of this product. THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF FMC AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF FMC OR SELLER, THE REPLACEMENT OF THE PRODUCT.

This Conditions of Sale and Limitation of Warranty and Liability may not be amended by any oral or written agreement.

FMC – Trademark of FMC Corporation

© FMC Corporation 2006

ACCLAIM® EXTRA HERBICIDE

Issue Date: 10/07/96
Supersedes: 9/28/95

SECTION 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MANUFACTURER

AgEvo USA Company
A company of Hoechst and NOR-AM
Little Falls Centre One
2711 Centerville Road
Wilmington, DE 19808

EMERGENCY TELEPHONE NUMBER

In Case of Medical Emergencies or Health and Safety Inquiries, or in Case of Fire, Leaking, or Damaged Containers, Information May Be Obtained by Calling: 1-800-228-5635, EXT. 202 (24 Hours)

General Product Information Inquiries: (302) 892-3000 (Days)

PRODUCT NAME: ACCLAIM® EXTRA HERBICIDE

PRODUCT CODE: HOE 46360 OH EW07 A2--

CHEMICAL NAME: Fenoxaprop-p-ethyl(+)-ethyl 2-[4-[[6-chloro-2-benzoxazolyl]oxy]phenoxy]propanoate

CHEMICAL FAMILY: Benzoxazole.

EPA REGISTRATION NUMBER: 45639-167

MSDS IDENTIFICATION CODE/NUMBER: 000183

SYNONYMS: HOE 46360 OH EW07 A2--

END-USE PRODUCT DESCRIPTION: For selective postemergence Annual & Perennial Grass Control in Turfgrass.

SECTION 2. COMPOSITION/INFORMATION ON INGREDIENTS

INGREDIENT NAME	EXPOSURE LIMITS	CONCENTRATION PERCENT BY WEIGHT
Fenoxaprop-p-ethyl CAS NUMBER: 71283-80-2	Manufacturer's Limit (TWA): 1.4 mg/m ³	6.59
Inert ingredients, including:		93.41
Naphthalene CAS NUMBER: 91-20-3	OSHA-PEL=ACGIH-TLV (TWA): 10 ppm (50-52 mg/m ³) OSHA-STEL (Table Z-1-A)=ACGIH-STEL (15 min) 15 ppm (75 mg/m ³)	< 6.0
Aromatic Hydrocarbons CAS NUMBER: 64742-95-6	Manufacturer's recommended Limit TLV (TWA) = 50 ppm	
Glycol Ethers CAS NUMBER: 123-81-9	OSHA or ACGIH Limits: Not Established	

INERT INGREDIENTS (93.41%): Only the regulated ingredients are listed above. For additional information, refer to Section 15 (Regulatory Information).

SECTION 3. HAZARDS IDENTIFICATION

***** EMERGENCY OVERVIEW *****

CAUTION. Causes moderate eye injury. Harmful if swallowed. Inhalation of vapor may cause headache, loss of appetite, and nausea. Vapors may cause eye irritation. This product is a white to beige liquid

POTENTIAL HEALTH EFFECTS

PRIMARY ROUTE(S) OF ENTRY: Skin absorption, vapor and mist inhalation.

EYES: Causes moderate eye irritation. Vapors may cause eye irritation.

SKIN: A slight skin irritant.

INGESTION: Harmful if swallowed. Small amounts of the solvent in this product aspirated into the respiratory system during ingestions or vomiting may cause mild to severe pulmonary injury.

INHALATION: High vapor/aerosol concentrations (greater than approximately 1,000 ppm) are irritating to the eyes and the respiratory tract, may cause headaches, dizziness, anesthesia, drowsiness, unconsciousness, and other central nervous system effects.

SIGNS AND SYMPTOMS

EFFECTS OF OVEREXPOSURE: Symptoms of overexposure include headache, nausea, loss of appetite. Ingestion may induce CNS depression-like symptoms and other adverse health effects.

NOTE: For detailed toxicological information, please refer to Section 11.

SECTION 4. FIRST AID MEASURES

EYES: Flush eyes with plenty of water. Get medical attention.

SKIN: Wash with soap and water.

INGESTION: If swallowed, do not induce vomiting. Call a physician. Do not induce vomiting or give anything by mouth to an unconscious person.

SECTION 5. FIRE FIGHTING MEASURES

FLAMMABLE PROPERTIES

FLASH POINT: 212°F 100°C Closed cup.

EXTINGUISHING MEDIA

SMALL FIRE: Dry chemical or CO₂.

LARGE FIRE: Foam or water—move containers from fire area if without risk. Cool containers with water from maximum distance.

FIRE FIGHTING INSTRUCTIONS: Keep upwind. Isolate hazard area. Avoid inhalation of smoke and fumes. Use water or foam to reduce fumes. Do not touch spilled material.

SECTION 6. ACCIDENTAL RELEASE MEASURES

GENERAL AND DISPOSAL: Use proper protective equipment to minimize personal exposure (See Section 8). Take all necessary action to prevent and to remedy the effects of the spill. Ensure that the disposal is in compliance with Federal or local disposal regulations. Notify the appropriate authorities immediately. (See Section 15 for applicable Reportable Quantity (RQ) and other Federal regulatory information.)

LAND SPILL OR LEAK: Do not touch spilled material. Take up with sand, earth, or other noncombustible absorbent material or dike for later disposal. Avoid flame or sparks.

SECTION 7. HANDLING AND STORAGE

HANDLING PRECAUTIONS

CAUTION. Causes moderate eye injury. Harmful if swallowed. Avoid contact with eyes or clothing. Use the recommended equipment while handling this product (See Personal Protection, Section 8).

USERS SHOULD:

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.
- Do not apply this product in a way that will contact workers or other persons, either directly or through drift.
- Only protected handlers may be in the area during application.
- For any requirements specific to your state or Tribe, consult the agency responsible for pesticide regulation.

STORAGE PRECAUTIONS: Do not contaminate water, food, or feed by storage or disposal. Do not use or store near heat or open flame. Store this product in its original container. Do not put concentrate or diluted product into food or drink containers. Store product in a secure storage area.

Do not store over 100°F or below 10°F.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS: Control airborne concentrations below the exposure guideline (See Section 2 for OSHA/ACGIH exposure limits). Use with adequate ventilation. Local exhaust ventilation may be necessary, especially when used in a confined area. Handle only in ventilated area.

FOR APPLICATORS AND HANDLERS (AGRICULTURAL USES): The personal protective equipment (PPE) for agricultural uses are specified under the Subtitle: "Note to Applicators and Handlers of Agricultural Products."

FOR MANUFACTURING AND PACKAGING EMPLOYEES: The personal protective equipment (PPE) in accordance with OSHA standards are recommended immediately below.

EYE/FACE PROTECTION: Goggles or face shield.

SKIN PROTECTION: Impermeable rubber gloves (such as neoprene or PVC).

OTHER/GENERAL PROTECTION: Wear apron when handling product.

NOTE TO APPLICATORS AND HANDLERS OF AGRICULTURAL PRODUCTS: For agricultural products which are within the scope of the EPA Worker Protection Standards (WPS) (40 CFR Part 170) all users must refer to the statement below or the Product Label for WPS-specified Personal Protective Equipment (PPE), Restricted Entry Interval (REI), and other Precautionary Statements.

PERSONAL PROTECTIVE EQUIPMENT FOR APPLICATORS AND HANDLERS:

Applicators and handlers must wear:

- Long-sleeved shirts and long pants
- Shoes plus socks

PERSONAL PROTECTIVE EQUIPMENT REQUIRED FOR EARLY ENTRY INTO TREATED AREAS:

For entry into treated area during the restricted entry interval (REI) of 24 hours that involves contact with anything that has been treated, such as plants, soil, or water, the PPE required is:

- Coveralls
- Waterproof gloves
- Shoes plus socks

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: White to beige liquid.

BASIC PHYSICAL PROPERTIES

PHYSICAL STATE: Liquid.

BOILING POINT: Not established°F.

VAPOR PRESSURE: Not measured.

DENSITY: 1.04 gm/cm³ at 68°F (20°C).

SECTION 10. STABILITY AND REACTIVITY

STABILITY: Stable (> 10°F & < 100°F).

HAZARDOUS POLYMERIZATION: Will not occur.

Do not store over 100°F or below 10°F.

SECTION 11. TOXICOLOGICAL INFORMATION

EYE EFFECTS: Causes moderate eye injury.

SKIN EFFECTS

DERMAL LD₅₀ (rat): >5,000 mg/kg (low toxicity). A slight skin irritant.

ACUTE ORAL EFFECTS

ORAL LD₅₀ (rat): 4,410 mg/kg (males); >5,000 mg/kg (female) (low toxicity). Harmful if swallowed.

ACUTE INHALATION EFFECTS

INHALATION LC₅₀: >7.6 mg/l (low toxicity).

CHRONIC TOXICITY AND CARCINOGENICITY INFORMATION:

This product contains fenoxaprop-p-ethyl as the active ingredient. Reduced blood lipids and cholesterol and increased liver weights were adaptive and reversible changes induced by fenoxaprop-p-ethyl in subchronic studies in rats and mice. These findings were not apparent in lifetime feeding studies in rats and mice confirming their transient nature. Lifetime feeding studies produced no carcinogenic response in rats or mice.

CARCINOGENICITY:

NTP: No.

IARC: No.

OSHA: No.

TERATOGENICITY (BIRTH DEFECTS)

FENOXAPROP-P-ETHYL: Teratology studies were performed on fenoxaprop-p-ethyl in mice, rats, rabbits, and monkeys by both oral and dermal route of exposure. No embryotoxic or fetotoxic effects were seen at doses nontoxic to the mothers.

REPRODUCTIVE EFFECTS

FENOXAPROP-P-ETHYL: Reduced pup body weight gain during lactation was observed at high doses in a two-generation reproduction study in rats. There were no effects on fertility in this study.

MUTAGENICITY (GENETIC EFFECTS)

FENOXAPROP-P-ETHYL: A variety of mutagenicity studies in bacteria and mammalian cells in vitro and in vivo have shown fenoxaprop-p-ethyl is nonmutagenic.

SECTION 12. ECOLOGICAL INFORMATION

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and aquatic invertebrates. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor runoff or drift. Do not contaminate arable land and/or water when disposing of equipment washwaters.

SECTION 13. DISPOSAL CONSIDERATIONS

Pesticide Disposal: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the hazardous waste representative at the nearest EPA Regional Office for guidance.

Container Disposal: Empty containers should be triple rinsed into the spray tank during operation. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by incineration, or if allowed by State and local authorities, by burning. If burned, stay out of smoke.

RCRA INFORMATION

RCRA Hazardous Waste Ingredient: Naphthalene (U165).

SECTION 14. TRANSPORT INFORMATION

PROPER SHIPPING NAME: None.

DOT SHIPPING LABEL: None.

SECTION 15. REGULATORY INFORMATION**U.S. FEDERAL REGULATORY INFORMATION****SARA TITLE III:**

Section 302 (EHS) Ingredients: Not listed.

Section 304 (EHS & CERCLA): Naphthalene (RQ = 100).

SARA TITLE III NOTIFICATIONS AND INFORMATION

REPORTABLE QUANTITY (POUNDS): 1666

SARA TITLE III—HAZARD CLASSES:

Acute Health Hazard—"Yes"

Chronic Health Hazard—"No"

Fire Hazard—"No"

Sudden Release of Pressure Hazard—"No"

Reactivity Hazard—"No"

SARA TITLE III—SECTION 313 SUPPLIER NOTIFICATION: This product contains the following toxic chemicals subject to the reporting requirements of section 313 of the Emergency Planning and Community Right-To-Know Act (EPCRA) of 1986 and of 40 CFR 372:

CAS NUMBER	INGREDIENT NAME	PERCENT BY WEIGHT
91-20-3	Naphthalene	< 6.0

This information must be included on all MSDSs that are copied and distributed for this material.

SECTION 16. OTHER INFORMATION**NFPA HAZARD RATING**

— **HEALTH:** 2 Moderate.

— **FIRE:** 1 Slight.

— **REACTIVITY:** 0 Negligible.

MSDS IDENTIFICATION CODE/NUMBER: 000183

PREPARED BY: Dept. of Regulatory Affairs

PHONE: (302)892-3000

SUPERSEDES MSDS DATED: 09/28/95

DATE AND TIME OF PRINTING: 11/20/96 16:54:20

MSDS REVISION INDICATOR: Revised Sections 2 and 11 (minor text deletions).

DISCLAIMER OF EXPRESS AND IMPLIED WARRANTIES

THIS INFORMATION IS PROVIDED IN GOOD FAITH BUT WITHOUT EXPRESS OR IMPLIED WARRANTY

Notification of the Use of Pesticides

(This notice should be received at least 72 hours prior to pesticide use)



Date: August 17, 2016

To: Parents and guardians of students, and staff of Delran High School

From: The School IPM Coordinator , Phone Number

Subject: Notification of the Use of Non Low Impact Pesticides

This notice is to advise you that the following pesticide(s) will be used at: High School

Pesticide Common Name	EPA Register #:	Comment
Acclaim	432-950	Weed control
Dismiss	279-3295	Weed control

Reason for the pesticide application: Crabgrass & Nutsedge weeds

An outdoor application, the date and time it is planned:

DATE: August 23, 2016 **TIME:** 5:00 AM

If an outdoor application, 3 dates must be listed, in chronological order, on which the outdoor application may take place if the preceding date is canceled.

DATE: 08/23/16

DATE: 8/24/16

DATE: 8/25/16

Description of the possible adverse effects of the pesticide as per the Material Safety Data Sheets for the pesticides to be used, if available:

MAY CAUSE SLIGHT EYE IRRITATION HARMFUL IF ABSORBED THROUGH THE SKIN.

Pesticide product label instructions and precautions related to Public Safety. AVOID BREATHING VAPORS 12 HOUR RE-ENTRY PERIOD.

Note: By law, we must advise you that: *The Office of Pesticide Programs of the United States Environmental Protection Agency has stated: "Where possible, persons who potentially are sensitive, such as pregnant women, infants, and children, should avoid any unnecessary pesticide exposure."*